

	Units	U 4.70 SA/K	
		50Hz	60Hz
Flow	m ³ /h	58	84
Ultimate vacuum , absolute	mbar	3	
Motor power	kw	2.4	3.0
R.P.M.		1420	1740
Three phase motor, volts		230/400V+-10%	
Noise level, dB(A), 1 meter		67	
Length	mm	688	
Width	mm	374	
Height	mm	300	
Inter port thread	G”	1 1/4”	
Weight with motor	kg	65	
Weight without motor	kg	38	

U4.70 F/K 真空值為 0.5, 其規格與 U4.70 SA/K 一樣。

	Units	U 4.100 SA/K	
		50Hz	60Hz
Flow	m ³ /h	100	120
Ultimate vacuum , absolute	mbar	3	
Motor power	kw	2.4	3.0
R.P.M.		1420	1740
Three phase motor, volts		230/400V+-10%	
Noise level, dB(A), 1 meter		67.5	
Length	mm	799	
Width	mm	374	
Height	mm	300	
Inter port thread	G”	1 1/4”	
Weight with motor	kg	77	
Weight without motor	kg	41	

U4.100 F/K 真空值為 0.5, 其規格與 U4.100 SA/K 一樣。

	Units	U 4.165 SA/K	
		50Hz	60Hz
Flow	m ³ /h	160	192
Ultimate vacuum , absolute	mbar	3	
Motor power	kw	4.0	4.8
R.P.M.		1420	1740
Three phase motor, volts		230/400V+-10%	
Noise level, dB(A), 1 meter		71	
Length	mm	859	
Width	mm	531	
Height	mm	415	
Inter port thread	G”	2”	
Weight with motor	kg	135	
Weight without motor	kg	94	

U4.165 F/K 真空值為 0.5, 其規格與 U4.165 SA/K 一樣。

	Units	U 4.190 SA/K	
		50Hz	60Hz
Flow	m ³ /h	184	218
Ultimate vacuum , absolute	mbar	3	
Motor power	kw	5.5	6.4
R.P.M.		1420	1740
Three phase motor, volts		230/400V+-10%	
Noise level, dB(A), 1 meter		73	
Length	mm	938	
Width	mm	531	
Height	mm	415	
Inter port thread	G”	2”	
Weight with motor	kg	158	
Weight without motor	kg	105	

U4.190 F/K 真空值為 0.5, 其規格與 U4.190 SA/K 一樣。

	Units	U 4.250 SA/K	
		50Hz	60Hz
Flow	m ³ /h	240	300
Ultimate vacuum , absolute	mbar	3	
Motor power	kw	7.8	9.3
R.P.M.		1420	1740
Three phase motor, volts		400/690V+-10%	
Noise level, dB(A), 1 meter		73	
Length	mm	1059	
Width	mm	531	
Height	mm	415	
Inter port thread	G”	2”	
Weight with motor	kg	181	
Weight without motor	kg	116	

U4.250 F/K 真空值為 0.5，其規格與 U4.250 SA/K 一樣。